

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|------------|----------|---------------------------|---|
| 01/01/2010 | 18:23:22 | 115 FOREST PARK EST | 311 Medical assist, assist EMS crew |
| 01/05/2010 | 15:08:23 | 15 BETH CIR | 311 Medical assist, assist EMS crew |
| 01/06/2010 | 12:27:58 | Cathedral Rd /Rindge, NH | 462 Aircraft standby |
| 01/06/2010 | 13:28:19 | 40 COBURN WAY | 321 EMS call, excluding vehicle accident with injury |
| 01/07/2010 | 17:35:44 | 257 DUBLIN RD | 733 Smoke detector activation due to malfunction |
| 01/07/2010 | 20:20:33 | 1322 MAIN ST /Dublin, NH | 571 Cover assignment, standby, moveup |
| 01/08/2010 | 08:13:52 | 15 SKYLINE DR | 311 Medical assist, assist EMS crew |
| 01/08/2010 | 12:19:53 | 153 SQUANTUM RD | 553 Public service |
| 01/09/2010 | 00:02:32 | 1 PINECREST RD | 440 Electrical wiring/equipment problem, Other |
| 01/10/2010 | 09:54:21 | 216 OLD JAFFREY RD /Peter | 114 Chimney or flue fire, confined to chimney or flue |
| 01/12/2010 | 13:02:03 | 119 PETERBOROUGH ST | 322 Motor vehicle accident with injuries |
| 01/13/2010 | 16:40:29 | 18 SHARON PL /Rindge, NH | 571 Cover assignment, standby, moveup |
| 01/15/2010 | 01:26:27 | 5 ROYALSTON RD /Fitzwilli | 111 Building fire |
| 01/15/2010 | 05:04:36 | MOUNTAIN RD & BULLARD RD | 324 Motor Vehicle Accident with no injuries |
| 01/18/2010 | 01:17:34 | 331 MOUNTAIN RD | 440 Electrical wiring/equipment problem, Other |
| 01/19/2010 | 01:57:35 | 12 UNION ST | 114 Chimney or flue fire, confined to chimney or flue |
| 01/19/2010 | 17:34:18 | 0 MOUNTAIN RD | 622 No Incident found on arrival at dispatch address |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|---|
| 01/20/2010 | 01:44:40 | 0 MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 01/20/2010 | 05:48:42 | 11 PRESCOTT RD | 300 Rescue, EMS incident, other |
| 01/20/2010 | 15:51:02 | 0 MAIN ST | 324 Motor Vehicle Accident with no injuries |
| 01/21/2010 | 15:11:31 | JAFFREY RD /Peterborough, | 324 Motor Vehicle Accident with no injuries |
| 01/21/2010 | 18:25:08 | 16 NORTH LOT RD | 114 Chimney or flue fire, confined to chimney or flue |
| 01/24/2010 | 20:06:13 | 296 MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 01/25/2010 | 23:44:00 | 62 FOREST PARK EST | 300 Rescue, EMS incident, other |
| 01/27/2010 | 14:21:25 | 115 NORTH ST | 420 Toxic condition, Other |
| 01/27/2010 | 17:24:36 | US ROUTE 202 /US ROUTE 20 | 571 Cover assignment, standby, moveup |
| 01/28/2010 | 10:30:10 | 82 PETERBOROUGH ST | 531 Smoke or odor removal |
| 01/28/2010 | 12:24:34 | 4 NAGLE WAY /Rindge, NH 0 | 114 Chimney or flue fire, confined to chimney or flue |
| 01/30/2010 | 08:45:49 | 43 AMOS FORTUNE RD | 324 Motor Vehicle Accident with no injuries |
| 01/31/2010 | 20:38:10 | 56 GROVE ST /Peterborough | 571 Cover assignment, standby, moveup |
| 02/01/2010 | 16:07:49 | MAIN ST & GOODNOW ST | 422 Chemical spill or leak |
| 02/02/2010 | 10:28:27 | 36 ALDER CT /6B | 311 Medical assist, assist EMS crew |
| 02/03/2010 | 14:16:14 | 26 FITZGERALD DR | 744 Detector activation, no fire - unintentional |
| 02/04/2010 | 21:23:54 | 12 LONG HILL RD /Peterbor | 571 Cover assignment, standby, moveup |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 02/05/2010 | 15:36:47 | 18 SCHOOL ST | 440 Electrical wiring/equipment problem, Other |
| 02/06/2010 | 02:46:33 | 105 RIVER ST /Apt 1 | 300 Rescue, EMS incident, other |
| 02/07/2010 | 14:32:18 | 35 Fox Run Ln | 744 Detector activation, no fire - unintentional |
| 02/08/2010 | 01:17:01 | 50 PETERBOROUGH ST | 411 Gasoline or other flammable liquid spill |
| 02/08/2010 | 15:17:10 | 5 NUTTING RD | 521 Water evacuation |
| 02/10/2010 | 21:33:40 | 0 MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 02/11/2010 | 19:25:22 | PETERBOROUGH ST & BOURGEO | 323 Motor vehicle/pedestrian accident (MV Ped) |
| 02/12/2010 | 15:18:35 | 4 STRATTON RD | 745 Alarm system activation, no fire - unintentional |
| 02/15/2010 | 14:31:16 | 420 SLIP RD /Greenfield, | 571 Cover assignment, standby, moveup |
| 02/17/2010 | 19:37:41 | 39 WEBSTER ST | 730 System malfunction, Other |
| 02/18/2010 | 22:57:52 | PETERBOROUGH ST | 745 Alarm system activation, no fire - unintentional |
| 02/20/2010 | 10:37:07 | 18 SCHOOL ST | 745 Alarm system activation, no fire - unintentional |
| 02/20/2010 | 19:26:53 | 20 WEBSTER ST | 652 Steam, vapor, fog or dust thought to be smoke |
| 02/22/2010 | 06:31:22 | 106 NORTH RD /Hancock, NH | 571 Cover assignment, standby, moveup |
| 02/22/2010 | 20:46:46 | 831 MOUNTAIN RD | 424 Carbon monoxide incident |
| 02/23/2010 | 08:04:42 | 315 FRANCESTOWN RD /GREEN | 571 Cover assignment, standby, moveup |
| 02/23/2010 | 08:14:02 | 51 PETERBOROUGH ST | 300 Rescue, EMS incident, other |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 02/23/2010 | 08:27:13 | 29 HATHORN RD | 321 EMS call, excluding vehicle accident with injury |
| 02/23/2010 | 14:54:52 | 82 PETERBOROUGH ST | 651 Smoke scare, odor of smoke |
| 02/26/2010 | 01:21:39 | 36 NELSON CIR | 520 Water problem, Other |
| 02/26/2010 | 03:35:50 | 9 POPLAR CT | 321 EMS call, excluding vehicle accident with injury |
| 02/27/2010 | 12:33:09 | 160 PROCTOR RD | 521 Water evacuation |
| 02/27/2010 | 18:17:17 | 75 TENACRES RD | 743 Smoke detector activation, no fire - unintentional |
| 02/28/2010 | 18:25:22 | 39 WEBSTER ST | 745 Alarm system activation, no fire - unintentional |
| 03/01/2010 | 08:16:34 | 80 MOUNTAIN RD | 444 Power line down |
| 03/01/2010 | 08:20:24 | 144 MAIN ST | 745 Alarm system activation, no fire - unintentional |
| 03/03/2010 | 14:54:02 | 103 PRESCOTT RD | 114 Chimney or flue fire, confined to chimney or flue |
| 03/04/2010 | 14:21:14 | 95 PETERBOROUGH ST | 500 Service Call, other |
| 03/05/2010 | 03:07:32 | 39 WEBSTER ST | 730 System malfunction, Other |
| 03/05/2010 | 19:42:27 | GILMORE POND RD & SANDY L | 463 Vehicle accident, general cleanup |
| 03/06/2010 | 13:26:40 | 255 OLD SHARON RD | 611 Dispatched & cancelled en route |
| 03/08/2010 | 07:22:41 | 3 Conant WAY | 711 Municipal alarm system, malicious false alarm |
| 03/09/2010 | 07:44:46 | 39 WEBSTER ST | 731 Sprinkler activation due to malfunction |
| 03/10/2010 | 07:35:10 | 39 WEBSTER ST | 731 Sprinkler activation due to malfunction |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|---|
| 03/11/2010 | 09:27:44 | PETERBOROUGH ST & WEBSTER | 323 Motor vehicle/pedestrian accident (MV Ped) |
| 03/11/2010 | 09:44:07 | 16 FOREST PARK EST | 311 Medical assist, assist EMS crew |
| 03/11/2010 | 10:11:56 | 28 HOWARD HILL RD | 114 Chimney or flue fire, confined to chimney or flue |
| 03/11/2010 | 13:18:25 | Main St & SAWTELLE RD | 324 Motor Vehicle Accident with no injuries |
| 03/11/2010 | 23:05:42 | 10 PIPER LN | 311 Medical assist, assist EMS crew |
| 03/13/2010 | 21:44:24 | NORTH ST /Crestview Drive | 324 Motor Vehicle Accident with no injuries |
| 03/14/2010 | 19:51:16 | 68 River St | 521 Water evacuation |
| 03/15/2010 | 15:17:15 | TURNPIKE RD /Perry Rd | 324 Motor Vehicle Accident with no injuries |
| 03/15/2010 | 20:56:38 | 435 MOUNTAIN RD | 746 Carbon monoxide detector activation, no CO |
| 03/16/2010 | 15:49:48 | 26 FITZGERALD DR | 744 Detector activation, no fire - unintentional |
| 03/18/2010 | 12:12:33 | 53 Dublin RD | 531 Smoke or odor removal |
| 03/25/2010 | 14:20:04 | 39 WEBSTER ST | 731 Sprinkler activation due to malfunction |
| 03/25/2010 | 17:30:30 | 0 PROCTOR RD | 322 Motor vehicle accident with injuries |
| 03/29/2010 | 22:00:29 | 21 MAIN ST | 550 Public service assistance, Other |
| 03/30/2010 | 17:36:31 | 112 CRESTVIEW DR | 622 No Incident found on arrival at dispatch address |
| 04/01/2010 | 16:44:27 | 557 MOUNTAIN RD | 322 Motor vehicle accident with injuries |
| 04/05/2010 | 13:00:00 | 0 HARKNESS RD | 324 Motor Vehicle Accident with no injuries |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 04/06/2010 | 15:04:48 | 3 Conant WAY | 744 Detector activation, no fire - unintentional |
| 04/06/2010 | 19:33:59 | 41 TYLER HILL RD | 561 Unauthorized burning |
| 04/08/2010 | 12:13:48 | 103 LACY RD | 561 Unauthorized burning |
| 04/08/2010 | 16:21:28 | 22 NORTH ST | 710 Malicious, mischievous false call, Other |
| 04/08/2010 | 19:17:59 | 14 Gilmore Pond Rd | 746 Carbon monoxide detector activation, no CO |
| 04/09/2010 | 22:33:07 | 434 NORTH ST | 322 Motor vehicle accident with injuries |
| 04/10/2010 | 12:31:10 | 350 RIVER ST | 322 Motor vehicle accident with injuries |
| 04/11/2010 | 04:40:25 | 110 SHERWOOD LN | 733 Smoke detector activation due to malfunction |
| 04/11/2010 | 12:10:12 | 443 SQUANTUM RD | 324 Motor Vehicle Accident with no injuries |
| 04/12/2010 | 05:12:31 | 0 COMMUNITY LN /Peterboro | 571 Cover assignment, standby, moveup |
| 04/12/2010 | 05:15:01 | 0 JAFFREY RD /Peterboroug | 571 Cover assignment, standby, moveup |
| 04/12/2010 | 12:00:35 | 89 MAIN ST | 743 Smoke detector activation, no fire - unintentional |
| 04/13/2010 | 14:52:53 | 197 GREENFIELD RD /Peterb | 571 Cover assignment, standby, moveup |
| 04/14/2010 | 20:27:07 | 11 PRESCOTT RD | 743 Smoke detector activation, no fire - unintentional |
| 04/15/2010 | 17:55:36 | 16 NORTH LOT RD | 114 Chimney or flue fire, confined to chimney or flue |
| 04/17/2010 | 15:55:35 | 80 PETERBOROUGH ST | 322 Motor vehicle accident with injuries |
| 04/21/2010 | 01:40:59 | 70 RIVER ST | 631 Authorized controlled burning |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 04/22/2010 | 11:30:06 | 18 SCHOOL ST | 300 Rescue, EMS incident, other |
| 04/22/2010 | 20:36:23 | -1 NORTH ST | 322 Motor vehicle accident with injuries |
| 04/22/2010 | 23:32:57 | 0 NORTH ST | 551 Assist police or other governmental agency |
| 04/26/2010 | 21:18:41 | 20 CHARLONNE ST | 440 Electrical wiring/equipment problem, Other |
| 04/29/2010 | 18:29:12 | 68 FOREST PARK EST | 331 Lock-in (if lock out , use 511) |
| 04/29/2010 | 18:56:39 | 80 PETERBOROUGH ST | 251 Excessive heat, scorch burns with no ignition |
| 04/30/2010 | 20:44:05 | 6 SCHOOL ST /PETERBOROUGH | 571 Cover assignment, standby, moveup |
| 05/01/2010 | 17:40:21 | POOLE RD | 551 Assist police or other governmental agency |
| 05/01/2010 | 20:26:09 | 105 RIVER ST | 631 Authorized controlled burning |
| 05/03/2010 | 07:23:01 | 606 Dublin Rd | 733 Smoke detector activation due to malfunction |
| 05/03/2010 | 11:00:14 | 95 NUTTING RD | 744 Detector activation, no fire - unintentional |
| 05/03/2010 | 15:13:23 | 20 PLANTATION DR | 251 Excessive heat, scorch burns with no ignition |
| 05/03/2010 | 15:14:08 | 41 TYLER HILL RD | 531 Smoke or odor removal |
| 05/03/2010 | 17:02:43 | 33 MOUNTAIN RD | 631 Authorized controlled burning |
| 05/04/2010 | 15:38:01 | 60 NORTH ST | 743 Smoke detector activation, no fire - unintentional |
| 05/04/2010 | 16:47:27 | 75 PETERBOROUGH ST | 813 Wind storm, tornado/hurricane assessment |
| 05/04/2010 | 17:30:00 | NORTH ST & EMERY RD | 813 Wind storm, tornado/hurricane assessment |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|------------|----------|---------------------------|--|
| 05/04/2010 | 17:36:01 | 0 HAMILTON CT | 444 Power line down |
| 05/04/2010 | 17:41:00 | DEAN FARM RD & NUTTING RD | 813 Wind storm, tornado/hurricane assessment |
| 05/04/2010 | 17:48:00 | COLMAN RD & NUTTING RD | 813 Wind storm, tornado/hurricane assessment |
| 05/04/2010 | 23:30:31 | 0 SANDY LN | 340 Search for lost person, other |
| 05/06/2010 | 09:31:31 | Main St at 5-way intersec | 411 Gasoline or other flammable liquid spill |
| 05/06/2010 | 22:05:01 | MOUNTAIN RD /Old Toll Rd | 813 Wind storm, tornado/hurricane assessment |
| 05/07/2010 | 05:13:02 | 8 Contoocook Ave | 111 Building fire |
| 05/10/2010 | 12:57:38 | WATATIC RD /RINDGE, NH 03 | 631 Authorized controlled burning |
| 05/12/2010 | 05:34:29 | 54 WEBSTER ST | 622 No Incident found on arrival at dispatch address |
| 05/15/2010 | 19:33:19 | 8 FOREST PARK MH PARK | 744 Detector activation, no fire - unintentional |
| 05/16/2010 | 06:29:34 | MAIN ST & PROSPECT ST | 445 Arcing, shorted electrical equipment |
| 05/16/2010 | 09:23:22 | 10 SHARON RD /Peterboroug | 611 Dispatched & cancelled en route |
| 05/17/2010 | 14:08:34 | 50 EMERY RD | 324 Motor Vehicle Accident with no injuries |
| 05/18/2010 | 11:51:26 | 36 KNIGHT ST | 300 Rescue, EMS incident, other |
| 05/23/2010 | 09:03:48 | 153 HUNTER FARM RD /Peter | 111 Building fire |
| 05/23/2010 | 21:01:35 | 39 RIVER ST | 300 Rescue, EMS incident, other |
| 05/25/2010 | 15:41:48 | 544 TURNPIKE RD | 445 Arcing, shorted electrical equipment |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|------------|----------|---------------------------|--|
| 05/26/2010 | 15:41:45 | 0 UNION ST | 561 Unauthorized burning |
| 05/26/2010 | 23:53:49 | 168 NORTH ST /Rindge, NH | 111 Building fire |
| 05/27/2010 | 18:02:12 | 11 PROSPECT ST | 352 Extrication of victim(s) from vehicle |
| 05/27/2010 | 22:08:48 | UNION ST | 561 Unauthorized burning |
| 05/28/2010 | 15:59:16 | 0 WEBSTER ST | 440 Electrical wiring/equipment problem, Other |
| 05/28/2010 | 23:14:21 | 10 HAMILTON CT | 311 Medical assist, assist EMS crew |
| 05/29/2010 | 00:14:42 | 0 BRYANT RD | 324 Motor Vehicle Accident with no injuries |
| 05/30/2010 | 16:28:54 | 2 NORTH ST | 611 Dispatched & cancelled en route |
| 06/01/2010 | 13:29:17 | GILMORE POND RD /Fox Run | 322 Motor vehicle accident with injuries |
| 06/02/2010 | 04:10:42 | 6 FORCIER WAY | 311 Medical assist, assist EMS crew |
| 06/04/2010 | 16:29:42 | 366 SQUANTUM RD | 322 Motor vehicle accident with injuries |
| 06/05/2010 | 11:27:38 | 0 WILTON ROAD /Peterborou | 571 Cover assignment, standby, moveup |
| 06/06/2010 | 20:41:28 | 271 DUBLIN RD | 444 Power line down |
| 06/09/2010 | 07:58:31 | 35 MAIN ST /PETERBOROUGH, | 571 Cover assignment, standby, moveup |
| 06/10/2010 | 16:59:16 | 70 RIVER ST | 324 Motor Vehicle Accident with no injuries |
| 06/11/2010 | 19:32:52 | 9 FOREST PARK MH PARK | 311 Medical assist, assist EMS crew |
| 06/11/2010 | 20:14:52 | 147 RIVER ST | 300 Rescue, EMS incident, other |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 06/14/2010 | 14:51:11 | 0 MOUNTAIN RD | 444 Power line down |
| 06/15/2010 | 09:15:42 | 144 MAIN ST | 730 System malfunction, Other |
| 06/17/2010 | 11:01:34 | 41 TYLER HILL RD | 111 Building fire |
| 06/18/2010 | 12:13:00 | 10 GOODNOW ST | 411 Gasoline or other flammable liquid spill |
| 06/20/2010 | 19:17:58 | 14 PINE ST | 112 Fires in structure other than in a building |
| 06/23/2010 | 20:29:16 | 5 POPLAR CT /9B | 311 Medical assist, assist EMS crew |
| 06/26/2010 | 08:26:16 | 435 MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 06/27/2010 | 17:15:03 | 2 NORTH ST | 744 Detector activation, no fire - unintentional |
| 06/28/2010 | 16:52:23 | 278 MARCY HILL RD /SWANZE | 611 Dispatched & cancelled en route |
| 06/28/2010 | 20:32:35 | 10 BRENDAN LN | 240 Explosion (no fire), Other |
| 07/02/2010 | 11:08:52 | 49 MAIN ST | 444 Power line down |
| 07/03/2010 | 20:49:07 | MOUNTAIN RD & old toll rd | 700 False alarm or false call, Other |
| 07/04/2010 | 12:15:50 | 33 NUTTING RD | 321 EMS call, excluding vehicle accident with injury |
| 07/05/2010 | 16:59:21 | 116 POOLE RD | 551 Assist police or other governmental agency |
| 07/06/2010 | 09:49:47 | 6 BIRCH ST | 531 Smoke or odor removal |
| 07/06/2010 | 15:11:02 | 49 SQUANTUM RD | 734 Heat detector activation due to malfunction |
| 07/06/2010 | 19:02:30 | 0 SANDY LN | 322 Motor vehicle accident with injuries |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 07/07/2010 | 17:14:56 | 26 KNIGHT ST | 142 Brush or brush-and-grass mixture fire |
| 07/07/2010 | 18:06:34 | 635 GILMORE POND RD | 451 Biological hazard, confirmed or suspected |
| 07/10/2010 | 16:15:03 | 378 MOUNTAIN RD | 444 Power line down |
| 07/13/2010 | 02:58:04 | 144 MAIN ST | 733 Smoke detector activation due to malfunction |
| 07/13/2010 | 03:57:08 | 144 MAIN ST | 733 Smoke detector activation due to malfunction |
| 07/16/2010 | 03:00:16 | 0 GILMORE POND RD | 324 Motor Vehicle Accident with no injuries |
| 07/16/2010 | 12:13:46 | 102 RIVER ST | 300 Rescue, EMS incident, other |
| 07/16/2010 | 18:39:26 | 199 NORTH ST /Rindge, NH | 571 Cover assignment, standby, moveup |
| 07/16/2010 | 18:54:21 | 252 GODDARD RD /Rindge, N | 571 Cover assignment, standby, moveup |
| 07/17/2010 | 00:04:33 | 84 PETERBOROUGH ST | 731 Sprinkler activation due to malfunction |
| 07/18/2010 | 19:13:39 | DUBLIN RD | 611 Dispatched & cancelled en route |
| 07/22/2010 | 18:31:38 | 89 PETERBOROUGH ST | 522 Water or steam leak |
| 07/24/2010 | 23:22:57 | 118 GREAT RD | 911 Citizen complaint |
| 07/25/2010 | 22:29:05 | 101 OLD SHARON RD | 111 Building fire |
| 07/25/2010 | 23:34:42 | 39 WEBSTER ST | 745 Alarm system activation, no fire - unintentional |
| 07/26/2010 | 06:44:19 | 28 MAIN ST | 744 Detector activation, no fire - unintentional |
| 07/29/2010 | 20:26:54 | 0 TURNPIKE RD /Sharon, NH | 651 Smoke scare, odor of smoke |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 07/30/2010 | 04:58:30 | 81 TURNPIKE RD /Sharon, N | 322 Motor vehicle accident with injuries |
| 08/04/2010 | 15:54:15 | 334 GILMORE POND RD | 311 Medical assist, assist EMS crew |
| 08/05/2010 | 13:35:46 | 17 CHARLONNE ST | 350 Extrication, rescue, Other |
| 08/05/2010 | 20:33:37 | 363 WOODBOUND RD | 553 Public service |
| 08/07/2010 | 09:02:11 | 400 THORNDIKE POND RD | 300 Rescue, EMS incident, other |
| 08/11/2010 | 12:49:36 | 617 MOUNTAIN RD | 735 Alarm system sounded due to malfunction |
| 08/12/2010 | 09:07:56 | 21 CUTTER HILL RD | 311 Medical assist, assist EMS crew |
| 08/12/2010 | 19:08:48 | 25 LIBBY CT | 480 Attempted burning, illegal action, Other |
| 08/16/2010 | 13:56:57 | 62 HIGHLAND AVE | 522 Water or steam leak |
| 08/16/2010 | 17:38:32 | 236 SQUANTUM RD | 733 Smoke detector activation due to malfunction |
| 08/17/2010 | 19:08:30 | 53 CHADWICK RD | 311 Medical assist, assist EMS crew |
| 08/21/2010 | 11:54:51 | NH ROUTE 119 & MAIN ST /R | 462 Aircraft standby |
| 08/23/2010 | 11:44:36 | 74 MAIN ST | 744 Detector activation, no fire - unintentional |
| 08/31/2010 | 07:06:56 | UNION ST | 561 Unauthorized burning |
| 08/31/2010 | 14:28:03 | 20 PLANTATION DR | 311 Medical assist, assist EMS crew |
| 08/31/2010 | 18:33:49 | 4 SUNNYFIELD DR | 142 Brush or brush-and-grass mixture fire |
| 09/02/2010 | 00:47:59 | 82 FITZGERALD DR | 745 Alarm system activation, no fire - unintentional |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|--------------------------|--|
| 09/02/2010 | 09:27:41 | 617 MOUNTAIN RD | 733 Smoke detector activation due to malfunction |
| 09/03/2010 | 21:04:28 | 465 TURNPIKE RD /Sharon, | 321 EMS call, excluding vehicle accident with injury |
| 09/04/2010 | 02:26:54 | 77 COUNTY RD /Rindge, NH | 122 Fire in motor home, camper, recreational vehicle |
| 09/05/2010 | 03:34:07 | 207 PETERBOROUGH ST | 322 Motor vehicle accident with injuries |
| 09/05/2010 | 20:34:30 | 0 TURNPIKE RD | 322 Motor vehicle accident with injuries |
| 09/07/2010 | 12:37:01 | 142 MAIN ST | 744 Detector activation, no fire - unintentional |
| 09/07/2010 | 16:48:49 | 240 GILMORE POND RD | 300 Rescue, EMS incident, other |
| 09/08/2010 | 16:18:47 | 144 MAIN ST | 733 Smoke detector activation due to malfunction |
| 09/09/2010 | 12:51:02 | 10 MAIN ST /Marlborough, | 571 Cover assignment, standby, moveup |
| 09/14/2010 | 12:54:43 | 278 GREAT RD | 321 EMS call, excluding vehicle accident with injury |
| 09/14/2010 | 14:26:10 | 700 MOUNTAIN RD | 321 EMS call, excluding vehicle accident with injury |
| 09/15/2010 | 08:31:14 | 116 POOLE RD | 141 Forest, woods or wildland fire |
| 09/17/2010 | 02:04:24 | 50 PETERBOROUGH ST | 744 Detector activation, no fire - unintentional |
| 09/17/2010 | 16:02:19 | 45 RIVER ST | 322 Motor vehicle accident with injuries |
| 09/17/2010 | 16:11:41 | 11 PRESCOTT RD | 311 Medical assist, assist EMS crew |
| 09/17/2010 | 18:35:04 | 142 DUBLIN RD | 740 Unintentional transmission of alarm, Other |
| 09/18/2010 | 02:05:10 | 50 PETERBOROUGH ST | 744 Detector activation, no fire - unintentional |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 09/18/2010 | 09:54:04 | 2 NORTH ST | 411 Gasoline or other flammable liquid spill |
| 09/20/2010 | 13:05:59 | TOWN FARM RD & NORTH ST | 444 Power line down |
| 09/20/2010 | 21:17:38 | 50 PETERBOROUGH ST | 744 Detector activation, no fire - unintentional |
| 09/22/2010 | 09:00:35 | River St, 4-Way intersect | 411 Gasoline or other flammable liquid spill |
| 09/23/2010 | 13:35:16 | 11 PRESCOTT RD | 744 Detector activation, no fire - unintentional |
| 09/27/2010 | 11:00:53 | 150 RIVERMEAD RD /Peterbo | 571 Cover assignment, standby, moveup |
| 09/27/2010 | 13:53:47 | 47 TURNPIKE RD | 500 Service Call, other |
| 09/28/2010 | 12:20:39 | 8 BLAKE ST | 500 Service Call, other |
| 09/29/2010 | 09:49:40 | 617 MOUNTAIN RD | 745 Alarm system activation, no fire - unintentional |
| 09/30/2010 | 11:46:34 | 95 NUTTING RD | 744 Detector activation, no fire - unintentional |
| 10/01/2010 | 10:35:50 | -1 TURNPIKE RD /Sharon, N | 352 Extrication of victim(s) from vehicle |
| 10/02/2010 | 11:58:52 | 116 POOLE RD | 300 Rescue, EMS incident, other |
| 10/03/2010 | 05:51:08 | 50 PETERBOROUGH ST | 744 Detector activation, no fire - unintentional |
| 10/04/2010 | 08:51:16 | 36 ALDER CT /4A | 321 EMS call, excluding vehicle accident with injury |
| 10/05/2010 | 20:47:47 | 0 STRATTON RD | 322 Motor vehicle accident with injuries |
| 10/07/2010 | 09:37:23 | RIVER ST /Hawthon RD | 411 Gasoline or other flammable liquid spill |
| 10/08/2010 | 20:00:14 | -1 PERKINS LN /Temple, NH | 341 Search for person on land |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 10/08/2010 | 20:06:50 | 57 TURNPIKE RD /Sharon, N | 746 Carbon monoxide detector activation, no CO |
| 10/11/2010 | 09:31:37 | 80 PETERBOROUGH ST | 111 Building fire |
| 10/12/2010 | 10:20:01 | 73 TURNPIKE RD /Sharon, N | 300 Rescue, EMS incident, other |
| 10/12/2010 | 12:36:50 | 38 MAIN ST | 744 Detector activation, no fire - unintentional |
| 10/14/2010 | 14:52:44 | 46 PETERBOROUGH ST | 323 Motor vehicle/pedestrian accident (MV Ped) |
| 10/16/2010 | 11:48:02 | 257 DUBLIN RD | 900 Special type of incident, Other |
| 10/16/2010 | 17:26:11 | 0 POOLE RD | 300 Rescue, EMS incident, other |
| 10/20/2010 | 13:21:46 | 28 MAIN ST | 745 Alarm system activation, no fire - unintentional |
| 10/21/2010 | 12:54:00 | Summer St /Peterborough, | 611 Dispatched & cancelled en route |
| 10/24/2010 | 00:35:02 | 120 MOUNTAIN RD /Rindge, | 322 Motor vehicle accident with injuries |
| 10/25/2010 | 15:41:24 | 11 PRESCOTT RD | 412 Gas leak (natural gas or LPG) |
| 10/27/2010 | 13:33:54 | 75 Webster St | 111 Building fire |
| 10/31/2010 | 00:53:43 | 72 RIVER ST | 500 Service Call, other |
| 10/31/2010 | 15:58:51 | 36 ALDER CT | 311 Medical assist, assist EMS crew |
| 11/01/2010 | 15:53:41 | 20 PLANTATION DR | 311 Medical assist, assist EMS crew |
| 11/01/2010 | 16:30:10 | 27 CROSS ST | 321 EMS call, excluding vehicle accident with injury |
| 11/02/2010 | 11:33:54 | 25 GOODNOW ST | 321 EMS call, excluding vehicle accident with injury |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 11/03/2010 | 12:00:35 | 62 PETERBOROUGH ST | 740 Unintentional transmission of alarm, Other |
| 11/07/2010 | 17:45:25 | 12 HATHORN RD | 311 Medical assist, assist EMS crew |
| 11/08/2010 | 02:47:19 | 235 FITZWILLIAM RD | 444 Power line down |
| 11/09/2010 | 10:01:40 | 148 PROCTOR RD | 132 Road freight or transport vehicle fire |
| 11/10/2010 | 12:20:38 | AMOS FORTUNE RD & NUTTING | 324 Motor Vehicle Accident with no injuries |
| 11/12/2010 | 00:18:41 | 18 DELTA DR | 445 Arcing, shorted electrical equipment |
| 11/12/2010 | 03:18:00 | 153 DEAN FARM RD | 324 Motor Vehicle Accident with no injuries |
| 11/12/2010 | 10:08:18 | NUTTING RD & Peterborough | 322 Motor vehicle accident with injuries |
| 11/17/2010 | 14:01:30 | TURNPIKE RD & FITZGERALD | 411 Gasoline or other flammable liquid spill |
| 11/17/2010 | 21:21:27 | 580 MOUNTAIN RD | 444 Power line down |
| 11/20/2010 | 12:33:13 | 116 POOLE RD | 300 Rescue, EMS incident, other |
| 11/22/2010 | 20:27:06 | Summer St /PETERBOROUGH, | 571 Cover assignment, standby, moveup |
| 11/23/2010 | 03:59:46 | 50 PETERBOROUGH ST | 743 Smoke detector activation, no fire - unintentional |
| 11/23/2010 | 07:58:59 | 153 SQUANTUM RD | 424 Carbon monoxide incident |
| 11/24/2010 | 13:27:00 | 89 PETERBOROUGH ST | 324 Motor Vehicle Accident with no injuries |
| 11/24/2010 | 23:02:03 | 8 Contoocook Ave | 531 Smoke or odor removal |
| 11/25/2010 | 00:38:54 | 344 RIVER ST | 322 Motor vehicle accident with injuries |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|---|
| 11/25/2010 | 10:43:53 | 28 GREENBRIAR RD /New Ips | 571 Cover assignment, standby, moveup |
| 11/25/2010 | 15:26:39 | 14 PIPER LN | 114 Chimney or flue fire, confined to chimney or flue |
| 11/25/2010 | 18:32:02 | 64 HOWARD HILL RD | 550 Public service assistance, Other |
| 11/25/2010 | 23:37:11 | 4 MERCER AVE /Peterboroug | 571 Cover assignment, standby, moveup |
| 11/27/2010 | 01:07:34 | DEAN FARM RD & TOWN FARM | 324 Motor Vehicle Accident with no injuries |
| 11/27/2010 | 16:44:22 | MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 11/27/2010 | 18:55:23 | 72 FROST POND RD /Dublin, | 111 Building fire |
| 11/28/2010 | 11:12:06 | Annette State Forest / Ro | 480 Attempted burning, illegal action, Other |
| 11/30/2010 | 13:21:51 | 699 Chesham Rd /Harrisvil | 571 Cover assignment, standby, moveup |
| 11/30/2010 | 18:20:00 | Summer St /Peterborough, | 611 Dispatched & cancelled en route |
| 12/01/2010 | 15:30:24 | 51 CHARLONNE ST | 531 Smoke or odor removal |
| 12/02/2010 | 10:12:27 | 12 HATHORN RD | 745 Alarm system activation, no fire - unintentional |
| 12/02/2010 | 12:26:59 | 116 POOLE RD | 381 Rescue or EMS standby |
| 12/03/2010 | 16:13:28 | 0 TURNPIKE RD | 324 Motor Vehicle Accident with no injuries |
| 12/07/2010 | 20:43:50 | 72 RIVER ST | 600 Good intent call, Other |
| 12/10/2010 | 12:10:27 | 82 PETERBOROUGH ST | 300 Rescue, EMS incident, other |
| 12/10/2010 | 15:20:30 | 58 NORTH ST | 311 Medical assist, assist EMS crew |

Jaffrey Fire Department

Alarm Date Between {01/01/2010} And {12/31/2010}

| Alm Date | Alm Time | Location | Incident Type |
|-----------------|-----------------|---------------------------|--|
| 12/14/2010 | 17:57:40 | 42 HUNT HILL RD /Rindge, | 571 Cover assignment, standby, moveup |
| 12/15/2010 | 02:58:49 | 0 WEBSTER ST | 413 Oil or other combustible liquid spill |
| 12/17/2010 | 17:13:45 | 20 PLANTATION DR | 744 Detector activation, no fire - unintentional |
| 12/18/2010 | 14:28:47 | TURNPIKE RD /Sharon, NH 0 | 324 Motor Vehicle Accident with no injuries |
| 12/21/2010 | 09:40:35 | 20 GOODNOW ST | 440 Electrical wiring/equipment problem, Other |
| 12/21/2010 | 15:11:34 | 78 STRATTON RD | 743 Smoke detector activation, no fire - unintentional |
| 12/21/2010 | 18:29:47 | PETERBOROUGH ST & TURNPIK | 323 Motor vehicle/pedestrian accident (MV Ped) |
| 12/24/2010 | 00:30:32 | 539 MOUNTAIN RD | 324 Motor Vehicle Accident with no injuries |
| 12/25/2010 | 13:39:38 | 20 PLANTATION DR | 321 EMS call, excluding vehicle accident with injury |
| 12/27/2010 | 14:56:17 | 107 THORNDIKE POND RD | 440 Electrical wiring/equipment problem, Other |
| 12/27/2010 | 18:30:49 | 37 PROSPECT ST | 300 Rescue, EMS incident, other |
| 12/27/2010 | 20:10:17 | 12 TURNPIKE RD | 311 Medical assist, assist EMS crew |
| 12/28/2010 | 12:06:32 | MAIN ST & NORTH ST | 322 Motor vehicle accident with injuries |
| 12/28/2010 | 13:33:37 | 0 RIVER ST | 324 Motor Vehicle Accident with no injuries |
| 12/29/2010 | 00:17:51 | 24 SCHOOL ST | 651 Smoke scare, odor of smoke |

Total Incident Count 304